




SL629 | SL630 AB LED




**MONTAGEANLEITUNG
ASSEMBLY INSTRUCTIONS
LAS INSTRUCCIONES DE INSTALACIÓN
LES INSTRUCTIONS D'INSTALLATION
ISTRUZIONI PER L'USO
ASENNUSOHJEET**

ANBAULEUCHTE
SURFACE MOUNTED LUMINAIRE
LUMINARIA DE SUPERFICIE
LUMINAIRE APPARENT
APPARECCHIO A PLAFONE
PINTA-ASENNETTAVA VALAISIN






ANSCHLUSSSCHEMA | SCHÉMA DE RACCORDEMENT WIRING SCHEME | KYTKENTÄKAAVIO



INFORMATION | INFORMACIÓN | INFORMAZIONI INFORMATION | INFORMATION | TIDEOT

	A	B	C	D	E	F	G	H	I
SL629 AB LED	1244 mm	273 mm	1180 mm	51 mm	222 mm	29 mm	50 mm	90 mm	180 mm
SL629 AB LED	1544 mm	273 mm	1480 mm	51 mm	322 mm	29 mm	50 mm	90 mm	180 mm
SL630 AB LED	1274 mm	373 mm	1210 mm	51 mm	222 mm	29 mm	50 mm	90 mm	280 mm
SL630 AB LED	1574 mm	373 mm	1510 mm	51 mm	322 mm	29 mm	50 mm	90 mm	280 mm

Gewicht / Weight / Peso / Poids / Paino = 8 kg




**PERFORMANCE
LIGHTING**

Performance in Lighting GmbH · Stapelner Str. 1+3 · 38644 Goslar / Germany
Tel. +49 (0) 5321 3777-0 · Fax. +49 (0) 5321-3777-99 · info.de@pil.lighting



NO INSULATION





Blankensteinstraße 34-36

32257 Bünde

Tel. 0 52 23 / 18 35 70

Fax 0 52 23 / 57 23

info@storelights.de

www.storelights.de

**Ein Service von
Storelights.de
-Ihre helle Freude-**