

---

**SL629 | SL630 AB LED**


---



**MONTAGEANLEITUNG  
ASSEMBLY INSTRUCTIONS  
LAS INSTRUCCIONES DE INSTALACIÓN  
LES INSTRUCTIONS D'INSTALLATION  
ISTRUZIONI PER L'USO  
ASENNUSOHJEET**

---




ANBAULEUCHTE  
SURFACE MOUNTED LUMINAIRE  
LUMINARIA DE SUPERFICIE  
LUMINAIRE APPARENT  
APPARECCHIO A PLAFONE  
PINTA-ASENNETTAVA VALAISIN

---






## ANSCHLUSSSCHEMA | SCHÉMA DE RACCORDEMENT WIRING SCHEME | KYTKENTÄKAAVIO



## INFORMATION | INFORMACIÓN | INFORMAZIONI INFORMATION | INFORMATION | TIDEOT

|                     | A       | B      | C       | D     | E      | F     | G     | H     | I      |
|---------------------|---------|--------|---------|-------|--------|-------|-------|-------|--------|
| <b>SL629 AB LED</b> | 1244 mm | 273 mm | 1180 mm | 51 mm | 222 mm | 29 mm | 50 mm | 90 mm | 180 mm |
| <b>SL629 AB LED</b> | 1544 mm | 273 mm | 1480 mm | 51 mm | 322 mm | 29 mm | 50 mm | 90 mm | 180 mm |
| <b>SL630 AB LED</b> | 1274 mm | 373 mm | 1210 mm | 51 mm | 222 mm | 29 mm | 50 mm | 90 mm | 280 mm |
| <b>SL630 AB LED</b> | 1574 mm | 373 mm | 1510 mm | 51 mm | 322 mm | 29 mm | 50 mm | 90 mm | 280 mm |

Gewicht / Weight / Peso / Poids / Paino = 8 kg





**PERFORMANCE  
LIGHTING**

Performance in Lighting GmbH · Stapelner Str. 1+3 · 38644 Goslar / Germany  
Tel. +49 (0) 5321 3777-0 · Fax. +49 (0) 5321-3777-99 · [info.de@pil.lighting](mailto:info.de@pil.lighting)



**NO INSULATION**





Blankensteinstraße 34-36

32257 Bünde

Tel. 0 52 23 / 18 35 70

Fax 0 52 23 / 57 23

[info@storelights.de](mailto:info@storelights.de)

[www.storelights.de](http://www.storelights.de)

**Ein Service von  
Storelights.de  
-Ihre helle Freude-**